

# Considerations Before Using Piping & Repeating

## Leading Practice

To pipe, or not to pipe, that is the question. While piping comes in handy during the build phase of your survey; it's not always the best setup when it comes to your data.

There's almost always an [alternative](#) to using piping in your survey. Typically, setting up your survey without piping means some more manual work on your end, but the experience for your survey respondents will be identical. Why not save myself the time then, you ask? The answer is simple: your data. Piped data is pretty complex and can be time consuming to decipher in the analysis phase of your survey. And, of course, all survey building decisions should be made with your data in mind. In this best practice guide, we'll cover some things you should consider before deciding to use piping in your survey. Then we'll cover the alternatives to piping.

## Considerations When Using Simple Piping aka Merge Codes


With [simple piping](#), there is only one consequence you should consider before deciding to use merge codes.

### **Display of Merge Codes in Legacy Summary Reports and Exports**

Because simple piping (aka merge codes) populate with a dynamic value for each response, when the results are summarized, there is not a way to aggregate these values. As a result, the merge code displays.

### **How Can I Fix This?**

If you wish to change this within the Standard Report, you can edit each question that uses simple piping by clicking the pencil icon.



Delete or customize the text of the merge code in the **Title** field and click **Save**. Repeat for all questions that use simple piping within your survey.

**Edit Report Element**

**Title**

[Edit Description](#)

To address this in a CSV/Excel Export of your raw data, this would need to be edited manually within Excel.

## Considerations When Using Option Piping



When using [option piping](#) (the use of previous answers as options in later questions), there are two consequences to consider.

### Inability to base logic off of piped options

When using option piping, options are created dynamically. The main limitation of dynamically-created options is that they will not be available when setting up [question logic](#) or [page logic](#). Check out the [option piping alternative](#) to learn how to work around this.

### Unselected options are "missing"

The second consequence of option piping comes up in the reporting of option piped questions. If a given option was not selected in the source question, it will not be listed as an option in the piped question.



### How Can I Fix This?

If you plan to use the Alchemer Standard Report, to analyze your data there is no way to change this. However, most users don't have a problem with this in the Standard Report.

If you plan to use the CSV/Excel Export or SPSS Export to do more advanced analysis of the raw data, this might cause some confusion, particularly when the piped question is a checkbox question. This is because each option exports as a separate field. In option-piped checkbox questions, unselected fields will be excluded from the raw data file.

This isn't a problem to fix per se, but in the case of advanced analysis understanding your data output is half the battle. This can be worked around in the analysis phase or, if you simply must have all possible options present in your data file you can:

1. Record a couple of dummy responses to ensure all options are selected. (It is important to

note,if you chose to record some dummy responses, that these must be included in the Report or Export.)

2. Use Answer Option Logic instead of Option Piping. This is covered in more detail in the [option piping alternative](#) section of this tutorial.

## Considerations When Using Question Piping

If you are using either [other textboxes](#) or [comments](#) in combination with [question piping/repeating](#), there is one small detail to consider.

### Difficulty associating comments with the instance of the piped question in Legacy Summary Reports

In Legacy Summary Reports, Comments will be listed together below each of the question-piped questions. As a result, it can be difficult to tell which comments belong to which instance of the piped question.

The image shows three separate comment tables, each titled "Comments", arranged vertically. Each table has two columns: "Count" and "Response".

Count	Response
1	Photos
1	Fabric and art supplies

Count	Response
1	Tent and other outdoor gear
1	I regularly purchase gas at BJ's and have purchased tires as well.

Count	Response
1	Batteries
1	Gasoline, prescriptions.

Default Question-Piped Question Comments Reporting

## How Can I Fix This?

To decipher which instance of a given question piped question comments are associated you'll just need to take advantage of the question-pipe merge code: `[question("piped title")]`. When placed in the Comments field of a question piped question this will populate with the answer option for each piped instance of the question.

To set this up, go to **Tools > Text & Translations**. Select your language (if you haven't translated into another language, click English) and then scroll to the question/s that have a comment attached and place the merge code in the **Comment Title** field listed under the question. Click **Save** when you are finished.

### Translate

Answer #	Default Text	Translation
1	Groceries	<input type="text" value="Groceries"/>
2	Pet Supplies	<input type="text" value="Pet Supplies"/>
3	Clothing	<input type="text" value="Clothing"/>
4	Toys/Games/Books	<input type="text" value="Toys/Games/Books"/>
5	Electronics	<input type="text" value="Electronics"/>
6	Personal Care Items	<input type="text" value="Personal Care Items"/>
7	Home Furnishings	<input type="text" value="Home Furnishings"/>
8	Other - Write In	<input type="text" value="Other - Write In"/>

Question Comment Title:

Default Text: Comments

Never Mind Save

Now, just run a new report and the answer option value for this piped instance will be present in the comments! This can even be done after data collection.

Walmart Comments:	
Count	Response
1	Photos
1	Fabric and art supplies

BJ's Wholesale Comments:	
Count	Response
1	Tent and other outdoor gear
1	I regularly purchase gas at BJ's and have purchased tires as well.

Costco Comments:	
Count	Response
1	Batteries
1	Gasoline, prescriptions.

Question-Piped Question Comments Reporting with Use of Question-Pipe Merge Code

### Complexity when associating other, write-in text with the instance of the piped question in CSV/Excel Export

In raw data exports if your question-piped question has an other, write-in field the text data will be identified with the option SKU of the source question. The other option itself will contain option title of the source question and will be located in the column just before the text output so you can also use this for identification purposes. There are no workarounds for this raw data quirk.

AI	AJ
Other - Write In: Meijer What goods do you purchase at Meijer?	Other - Write In: 10012 What goods do you purchase at [question("piped title")]?
Other - Write In	Tires
Other - Write In	Oil Changes

### Question-Piped Data Cannot Be Sent to Google Sheets

Question-piped questions will not send each instance of the data to [Google Sheets](#); consider the .

## Considerations When Using Page Piping

When using page piping/repeating, there are a few consequences to consider.

### Using the Page Piped Container

If you're using Page Piping in your survey, a Page Piped Container will automatically be added to any Legacy Summary Report you create. This container will show charts for each of the questions on a piped page, repeated for however many options are available from the source question. While this feature is pretty flexible if you won't be able to work with this, you might want to consider the [page piping alternative](#).

### Comments Not Supported

Comments on page-piped questions are not supported in Alchemer Reports; consider the [page piping alternative](#).

### Page-Piped Data Cannot Be Sent to Google Sheets

Page-piped questions will not send each instance of the data to [Google Sheets](#); consider the [page piping alternative](#).



### Best Practice Tip for Question and Page Piping

Be careful to consider the source question you are piping from. If there are a lot of answer options, there will be a lot of data points when reporting.

A lot of data points means a lot of columns in an export which can be unwieldy at best, and impossible to open at worst.

## Piping Alternatives

With the exception of simple piping, there is always an alternative to using piping in your surveys. Often the use of piping means saving time when building your survey whereas choosing an alternative can mean more time spent during the survey build it can mean cleaner, easier-to-use data, thus, time saving during the analysis phase of your survey.

### Option Piping Alternative: Answer Option Logic

The alternative to option piping is to use [answer option logic](#). To get started, create your source question and piped question both with the same list of answer options. Then, in the follow-up, "piped" question set up answer option logic for each answer option such that it only displays if it was selected in a previous question!

To set up answer option logic:

1. Edit your question.
2. Click the pencil icon to the right of the answer option you wish to set up logic on and go to the **Logic** tab.
3. Set up the conditions for displaying this answer option under **Option Logic Rule**.
  - a. First, select a **question** from the previous page that will be used in the IF part of the rule. In the case of a grid question, you will choose a specific row of the grid to use.
  - b. Select the **operator** that will be used to evaluate the question. After you select your question, the system will apply the recommended operator for the question type you

selected. For example, if the question you selected has preset answers, such as a radio button question, Alchemer will switch to the operator "is one of the following answers" along with a list of the possible answers from your selected question:

c. Finally, enter the **value or values** that are required to complete the rule.

For example, the below logic rule is set up on the Price option in the follow-up "piped" question. Based on this rule the Price option will only display if price was selected in the previous question!

The screenshot shows the 'Option Logic Rule' configuration screen. At the top, there are tabs for 'SETTINGS', 'LOGIC', and 'QUOTAS', with 'LOGIC' selected. A 'NEED HELP?' link is in the top right. Below the tabs, the title 'Option Logic Rule' is displayed, followed by a 'Remove All Logic' link. The main configuration area is a light blue box containing a dropdown menu with the text 'Q 1. Please select the factors that you', followed by the operator 'is one of the fol', and a list of options: 'Price' (checked), 'Location', 'Parking', 'Menu', 'Children's menu', and 'Independent vs Chain'. At the bottom left of the box is a '+ Add Condition' button, and at the bottom right is a '+ Add Group' button.

4. Click **Done** and **Save Question**.

Because you are setting up multiple rules for each answer option, you must click **Save Question** and then re-edit the question to set up your next answer option logic rule. Otherwise, the logic will not save.


The screenshot shows the 'Logic Rule' configuration screen. At the top, there are tabs for 'PAGE', 'LOGIC', 'LAYOUT', and 'REPEAT', with 'LOGIC' selected. A 'NEED HELP?' link is in the top right. Below the tabs, the title 'Logic Rule' is displayed, followed by a 'Remove All Logic' link. The main configuration area is a light blue box containing a dropdown menu with the text 'Q 2. Of the items you indicated in the', followed by the operator 'is one of the fol', and a list of options: 'Price', 'Location', 'Parking', 'Menu', 'Children's menu', and 'Independent vs Chain'. At the bottom left of the box is a '+ Add Condition' button, and at the bottom right is a '+ Add Group' button.



## Question Piping Alternative: Create Multiple Questions with Question Logic

The alternative to question piping is to create a question per option in your source question. Then, set up question logic on each question such that it only displays if its corresponding option was selected in the source question!

1. To get started, create your source question.



The screenshot shows a survey editor interface for a question titled "1. Which brands have you tried?". The question is a multiple-choice type with 18 options listed in three columns. The options are: Baskin-Robbins, Ben & Jerry's, Blue Bell Creameries, Blue Bunny, Breyers, Cold Stone, Dreyer's, Drumstick, Edy's, Friendly's, Graeter's, Haagen-Dazs, Handel's, Hershey, Jeni's, Pierre's, Turkey Hill, and Whitey's. On the right side of the question, there are four action buttons: Edit, Move, Copy, and Remove. At the bottom of the editor, there is a section labeled "Add New:" with four options: Question, Text/Media, Action, and From Library.

2. Then, on a later page, create a follow-up, "piped" question per each answer option in your source question. That's 18 questions in this case; this may seem tedious but remember you're doing this to ensure you get the data you need! Also, be sure to use your [copy button](#)!

2. How would you rate the flavor of Baskin Robins?	Yuck <input type="radio"/>	Meh <input type="radio"/>	Pretty darn good <input type="radio"/>	Love it <input type="radio"/>	<a href="#">Edit</a> <a href="#">+ Move</a> <a href="#">Copy</a> <a href="#">Remove</a>
3. How would you rate the flavor of Ben & Jerry's?	Yuck <input type="radio"/>	Meh <input type="radio"/>	Pretty darn good <input type="radio"/>	Love it <input type="radio"/>	<a href="#">Edit</a> <a href="#">+ Move</a> <a href="#">Copy</a> <a href="#">Remove</a>
4. How would you rate the flavor of Blue Bell Creameries?	Yuck <input type="radio"/>	Meh <input type="radio"/>	Pretty darn good <input type="radio"/>	Love it <input type="radio"/>	<a href="#">Edit</a> <a href="#">+ Move</a> <a href="#">Copy</a> <a href="#">Remove</a>
5. How would you rate the flavor of Blue Bunny?	Yuck <input type="radio"/>	Meh <input type="radio"/>	Pretty darn good <input type="radio"/>	Love it <input type="radio"/>	<a href="#">Edit</a> <a href="#">+ Move</a> <a href="#">Copy</a> <a href="#">Remove</a>
6. How would you rate the flavor of Breyers?	Yuck <input type="radio"/>	Meh <input type="radio"/>	Pretty darn good <input type="radio"/>	Love it <input type="radio"/>	<a href="#">Edit</a> <a href="#">+ Move</a> <a href="#">Copy</a> <a href="#">Remove</a>
7. How would you rate the flavor of Cold Stone?	Yuck <input type="radio"/>	Meh <input type="radio"/>	Pretty darn good <input type="radio"/>	Love it <input type="radio"/>	<a href="#">Edit</a> <a href="#">+ Move</a>

Once, you've created one follow-up question per answer option in your source question now you're ready to set up logic:

3. Edit your question and go to the **Logic** tab.

4. Select the option to **Only show this question based on answers to previous question or other logic conditions**.

5. In the first dropdown menu select your source question.

6. In the second dropdown menu select the operator **is one of the following**.

7. Finally, select the option that corresponds to this instance of the follow-up question and click **Save Question**.

QUESTION LOGIC VALIDATION LAYOUT PIPING / REPEAT [NEED HELP?](#)

Only show this question based on answers to previous questions or other logic conditions

[Remove All Logic](#)

Q 1. Which brands have you tried? is one of the follow

- Baskin-Robbins
- Ben & Jerry's
- Blue Bell Creameries
- Blue Bunny
- Breyers
- Cold Stone
- Dreyer's
- Drumstick
- Edy's
- Friendly's
- Graeter's
- Haagen-Dazs
- Handel's
- Hershey
- Jeni's
- Pierre's
- Turkey Hill
- Whitey's

### Page Piping Alternative: Create Multiple Pages with Page Logic

The first alternative to page piping is to create a page per option in your source question. Then, set up [page logic](#) on each page such that it only displays if its corresponding option was selected in the source question!

1. To get started, create your source question.

Page 1: (untitled) [Preview](#) [+](#) [-](#) [x](#)

1. Which brands have you tried?

<input type="checkbox"/> Baskin-Robbins	<input type="checkbox"/> Dreyer's	<input type="checkbox"/> Handel's
<input type="checkbox"/> Ben & Jerry's	<input type="checkbox"/> Drumstick	<input type="checkbox"/> Hershey
<input type="checkbox"/> Blue Bell Creameries	<input type="checkbox"/> Edy's	<input type="checkbox"/> Jeni's
<input type="checkbox"/> Blue Bunny	<input type="checkbox"/> Friendly's	<input type="checkbox"/> Pierre's
<input type="checkbox"/> Breyers	<input type="checkbox"/> Graeter's	<input type="checkbox"/> Turkey Hill
<input type="checkbox"/> Cold Stone	<input type="checkbox"/> Haagen-Dazs	<input type="checkbox"/> Whitey's

[Edit](#)  
[Move](#)  
[Copy](#)  
[Remove](#)

Add New: [Question](#) | [Text/Media](#) | [Action](#) | [From Library](#)

2. Then, create a "piped" page with all of your follow up questions for each option in your source question. That's 18 pages in this case; this may seem tedious, but remember you're doing this to ensure you get the data you need! Also, be sure to use your [copy button!](#)


Once, you've created one follow-up page per answer option in your source question now you're ready to set up logic:

3. Edit your page and go to the **Logic** tab.

4. Under Logic Rule in the first dropdown menu select your source question.

5. In the second dropdown menu select the operator **is one of the following**.

6. Finally, select the option that corresponds to this instance of the follow-up question and click **Save Page**.



## Other Compatibility Notes

### Compatible Source Questions for [Question Piping \(including Repeat Unselected Items\)](#) & [Option Piping](#)

The source question for question piping or option piping can be one of the following question types:

- Radio Buttons
- Checkboxes
- Dropdown Menu

- Rating (Likert Scale)

### Compatible Source Questions for [Page Piping](#)

The source question for question piping can be one of the following question types:

- Radio Buttons
- Checkboxes
- Dropdown Menu
- Rating (Likert Scale)
- Textbox
- Hidden Value Action

### Other Incompatible Features

- Data Import

Related Articles

---