# Docusign Integration with Alchemer Survey

The Alchemer Docusign Integration is available as an add-on. If you are interested in purchasing the Docusign Integration, please contact us for additional information.

At a high-level, Alchemer's integration with Docusign allows you to easily:

- Push survey data from Alchemer into Docusign so that you can send out a Docusign envelope to a signer
- Pull in information from a Docusign envelope and use that information in an Alchemer Survey

# Integration Setup

### Adding an Integration Action

- 1. Select an existing survey or create a new survey. Then navigate to the Survey Builder.
- 2. Click "Add New: Action"

You cannot add this Integration Action to the first page of the survey.

Page 2: Add Page Title       • Previe	N d	(Jan	<b>+</b>	ළ	×
Let's add something to this blank page.					
Add New: Question Text/Media Action					

3. In the Add Action modal, scroll down to Integrations. Then click "Add" for one of your purchased integrations.

Alchemer	Customer Experience Survey	Help
PRODUCTS	BUILD STYLE TEST SHARE RESULTS - TOOLS -	
若 Survey		View Settings
🔥 Workflow	Page 1: Add Page Title       Preview	/ + @ ×
TOOLS	☑ This question has answer validation	
Audience	Email format expected	+ Move
Design Library 👻	1. What is your email address?	* Remove
🗧 Research Library 🔹 🔇		
🖓 Integrations 🗸	INSERT: VQuestion Text/Media OAction + Page Break	
	2. Please tell us about your experience so far?	✓ Edit
ACCOUNT		순 Copy
දිරුදි Account 🗸		× Remove
Support Center		

If you haven't purchased any additional integrations, you will see the below screen:

Int	tegrations
G	Don't see what you're looking for? Explore our integrations

4. Select the action you would like to perform.

- Send a template for signing. Jump to section.
- Get envelope. Jump to section.

PRIMARY SETUP LOGIC AD	VANCED		
Back			
elect Action			
elect the action you would like to per	rform.		
Send template for signing Send a Docusign template for signing	Get envelope Get a Docusign envelope		

### Docusign | Send Template for Signing

To configure this integration you will need:

- To authenticate with Docusign
- Your Account ID

- Your Template ID
- Your server location
- Fields in this survey that contain the name and email of the signer to send it
- Fields in this survey where you can save some information from the return.
- 1. Select "Send template for signing".

Configure Action		
PRIMARY SETUP LOGIC AD	VANCED	
K Back		
Select Action Select the action you would like to per	form.	
Send template for signing Send a Docusign template for signing	Get envelope Get a Docusign envelope	

2. Click "Next' on the integration overview screen.

Configure Actio	n
PRIMARY SETUP	LOGIC ADVANCED
Docusian I Se	nd template for signing
Send a Docusign te	mplate out for signing
You will need:	
• To authenticate	with Docusign
Your Account ID	
• Your Template II	
• Your server loca	ion
• Fields in this sur	vey that contain the name and email of the signer to send to
• Fields in this sur	vey where you can save some information from the return
Need help? Learn m	ore
v250411	

3. Authenticate with Docusign

Configure Action	
PRIMARY SETUP LOGIC ADVANCED	
Docusign   Authentication	
Authenticate with Docusign	
DocuSign connected Justin's Docusign	· · · ·

4. Provide your Docusign Account ID

You can find this at the top of your admin dashboard.

PRIMARY SETUP LOGIC ADVANCED	
Docusign   Account ID Please enter your account ID from your Docusign account. This can be found at the top of your admin	dashboard.
Account ID*	
<empty string=""></empty>	
Account ID is required	

5. Enter the template ID from Docusign that you would like to send out.

The template ID can be found inside your template by clicking the "Template ID" button.

Configure Actior	ו								
PRIMARY SETUP	LOGIC	ADVANCED							
Docusign   Ten Please enter the tem Template ID*	nplate ID	Docusign that y	ou would like to send	out. This can be foi	und inside your ten	nplate by clicking	g the "Template ID"	button.	
<empty string=""></empty>									
Template ID is required	ł								

6. Enter your server location.

This can be found under the "Apps and Keys" section of your admin portal. This will be
something like NA2, CA, or EU

Configure Action	
PRIMARY SETUP LOGIC ADVANCED	
Docusign   Server location Please enter your server location. This can be found under the "Apps and Keys" section of your admin portal.	
Server*	
<empty-string> Server is required</empty-string>	
This will be something like NA2, CA, or EU	
This will be something like NA2, CA, or EU	

7. Select the fields you want to use to map the name and email of the signer you wish to send to.

#### How to Create Fields in Alchemer

1. Add survey questions that when answered will provide the desired field. (Example: What is the customer email address?)

2. Create a container using a Hidden Value. These Hidden Values can then be mapped to fields in Docusign and used as Merge Codes in your survey.

PRIMARY SETUP LOGIC ADVANCED		
ocusign   Name and email		
elect the fields you would like to use to map the name a	nd email of the signer you would like to send to	
he name and email are both required		
he name and email are both required		
he name and email are both required se this Alchemer field value	to match this Docusign field	
he name and email are both required se this Alchemer field value Question   1. Input 1 (id: 4)	to match this Docusign field V Docusign   name	~
he name and email are both required se this Alchemer field value Question   1. Input 1 (id: 4) Question   2. Input 2 (id: 5)	to match this Docusign field       V       Docusign   name       V       Docusign   email	~

8. Select fields you would like to get back from the Docusign return.

Pocusion   Get data back				
elect fields that you would like to get back from the Docusign return				
nese are optional				
e this Docusign field	Те	pupdate this Alchemer survey field		
Action   Metadata   message	~	Question   3. Output 1 (id: 6)	~	1
Add a new mapping				

9. Click "Save" to complete the integration setup.

Configure Action	
PRIMARY SETUP LOGIC ADVANCED	
Docusign   Setup complete	
A log of each run result can be found in the Individual Re	esponses > Action Log.
A status code is available in the action metadata:	
200: Successfully sent envelope.	
400: Failed to send envelope.	

### Docusign | Get Envelope

#### To configure this integration you will need:

- To authenticate with Docusign
- Your Account ID
- Your Template ID
- Your server location
- Fields in this survey that contain information to use to find the specific Docusign envelope
- Fields in this survey where you can save some the envelope information.

#### 1. Select "Get envelope"

Configure Action	A 1	
PRIMARY SETUP LOGIC AD	VANCED	
< Back		
Select Action Select the action you would like to per	form.	
Send template for signing Send a Docusign template for signing	Get envelope Get a Docusign envelope	

#### 2. Click "Next' on the overview screen.



#### 3. Authenticate with Docusign

Configure Action	
PRIMARY SETUP LOGIC ADVANCED	
Docusign   Authentication	
LocuSign connected     Justin's Docusign	~ …

4. Provide your Docusign Account ID

You can find this at the top of your admin dashboard.

Configure Action
PRIMARY SETUP LOGIC ADVANCED
Docusign   Account ID
Please enter your account ID from your Docusign account. This can be found at the top of your admin dashboard. Account ID*
<empty string=""></empty>
Account ID is required

5. Enter the Envelope ID from Docusign.



Configure Action	n .										
PRIMARY SETUP	LOGIC	ADVANCED									
Docusign   Ter Please enter the tem Template ID*	nplate ID	Docusign that yo	u would like to ser	nd out. This can	be found insid	le your templa	ite by clicking	) the "Templ	ate ID" butto	ın.	
<empty string=""></empty>											
Template ID is required	d										

6. Enter your server location.

This can be found under the "Apps and Keys" section of your admin portal. This will be	
something like NA2, CA, or EU	

7. Select the fields in this survey that contain the values you want to use to find the specific Docusign envelope.

#### How to Create Fields in Alchemer

1. Add survey questions that when answered will provide the desired field. (Example: What is the customer email address?)

2. Create a container using a Hidden Value. These Hidden Values can then be mapped to fields in Docusign and used as Merge Codes in your survey.

atch this Docusign field		
Docusign   envelopeld	~	
6		
	cusign envelope. Natch this Docusign field Docusign   envelopeld	cusign envelope. Natch this Docusign field

8. Select the fields you want to get back.

nfigure Action		
IMARY SETUP LOGIC ADVANCED		
ocusign I Get data back		
ect the fields you want to get back.		
this Docusign field	To update this Alchemer survey field	
Action   Metadata   message	V Question   2. Output (id: 3)	~ 🛍
Docusign   recipients   signers   0   email	<ul> <li>Question   3. Output 2 (id: 6)</li> </ul>	~
Add a new mapping		

9. Click "Save"

Configure Action	
PRIMARY SETUP LOGIC ADVANCED	
Docusign   Setup complete	
A log of each run result can be found in the Individual Responses > Action Log.	
A status code is available in the action metadata:	
200: A Docusign envelope was successfully found.	
400. The external integration returned an endi.	

## Monitoring a Docusign Integration Action

A log of each run result can be found in Results > Individual Responses > Action Log.

Select an individual response and then navigate to the Action Log. In the Action Log you can monitor if the action was successful or not.

# FAQs

- What permissions do I need within Alchemer to set-up and use the Docusign integration?
- > This integration doesn't fit my use cases, or I want to provide feedback to Alchemer!

**Related Articles**