

Pipe Multiple Questions into One

Piping is a great way to use a respondent's answers from one question in a survey in another question on a later page. But what if you want to pipe from not one, but two or more questions into one question on a later page? Well, here's how!

Check it out in an example survey!

OR

Add a survey with this setup to your account!

To use this method, you will need to have at least three pages of questions on your survey:

1. First page with initial questions (to pipe *from*).
2. Second page with a "secret" hidden question to gather all the data together. This page will be automatically submitted using a Page Timer.
3. Third page with final checkbox question (to pipe *to*).

First Page: Setup Questions to Pipe *From*

On the first page, set up your initial questions. These can be Radio Buttons, Checkboxes or Dropdown Menu questions.

In this example, the three questions to pipe from are the only questions on the page. This does not necessarily need to be the case, though; if you'd like other questions to be on the page as well, they will not negatively affect your piping.

Once you've fully set up your first page, it should look something like this:

18. What are your favorite desserts?

- | | |
|------------------------------------|-------------------------------------|
| <input type="checkbox"/> Pie | <input type="checkbox"/> Fruit Tart |
| <input type="checkbox"/> Cake | <input type="checkbox"/> Custard |
| <input type="checkbox"/> Ice Cream | <input type="checkbox"/> Meringues |
| <input type="checkbox"/> Cookies | |

19. What are your favorite meats?

- | | |
|----------------------------------|----------------------------------|
| <input type="checkbox"/> Fish | <input type="checkbox"/> Lamb |
| <input type="checkbox"/> Beef | <input type="checkbox"/> Veal |
| <input type="checkbox"/> Chicken | <input type="checkbox"/> Buffalo |
| <input type="checkbox"/> Pork | |

20. What are your favorite vegetables?

- | | |
|----------------------------------|--------------------------------------|
| <input type="checkbox"/> Lettuce | <input type="checkbox"/> Broccoli |
| <input type="checkbox"/> Carrots | <input type="checkbox"/> Cauliflower |
| <input type="checkbox"/> Beets | <input type="checkbox"/> Onions |
| <input type="checkbox"/> Celery | |

Second Page: Setup a Question for Gathering the Data

Next, add a second page and create a checkbox question. This question should combine all the answer options from the questions you are piping from on the first page. *It is important to ensure that the reporting values for each answer option are identical to the questions you are piping from on the previous page.* In addition, reporting values cannot contain punctuation.

21. Secret Question to put all of the previously selected choices into one place!


- | | | | |
|-------------------------------------|------------------------------------|----------------------------------|--------------------------------------|
| <input type="checkbox"/> Pie | <input type="checkbox"/> Meringues | <input type="checkbox"/> Veal | <input type="checkbox"/> Broccoli |
| <input type="checkbox"/> Cake | <input type="checkbox"/> Fish | <input type="checkbox"/> Buffalo | <input type="checkbox"/> Cauliflower |
| <input type="checkbox"/> Ice Cream | <input type="checkbox"/> Beef | <input type="checkbox"/> Lettuce | <input type="checkbox"/> Onions |
| <input type="checkbox"/> Cookies | <input type="checkbox"/> Chicken | <input type="checkbox"/> Carrots | |
| <input type="checkbox"/> Fruit Tart | <input type="checkbox"/> Pork | <input type="checkbox"/> Beets | |
| <input type="checkbox"/> Custard | <input type="checkbox"/> Lamb | <input type="checkbox"/> Celery | |

Next go to the **Layout** tab of this question. Enter the merge codes (comma separated, no spaces) for the questions you are piping from on the first page in the **Default Answer** field. You can use the

"Insert merge code" helper to find the appropriate codes.

In this example, the **Default Answer** includes: `[question("value"), id="2"],[question("value"), id="3"], [question("value"), id="4"]`.

This forces the checkboxes in this question to be marked automatically based on what was chosen in Question IDs 2, 3, and 4 (the questions on my first page). So, on the first page, if I choose Pie and Cake from the first question, Buffalo from the second, and Lettuce and Beets from the third, these five checkboxes would be checked in the question on the second page.



Advanced

Default Answer:

`[question("value"), id="2"],[question("value"), id="3"],[question("value"), id="4"]`

What are your favorite vegetables


+ Insert

For now (while testing), you can leave this page as it is. Once you're sure that everything is working properly, you can come back and add some code to hide that question and submit the page so that the data is collected, but your respondents do not see it.

Third Page: Set Up a Question to Pipe To

Next, create the question on page 3 that you'd like to pipe into. This can be any question type that supports piping, including Checkboxes, Radio Buttons, and Table questions. In this example, we created a checkbox question.

You won't need to add any answer options. In fact you'll need to delete the default option 1 and option 2 that are created when you create your question. Then you will pipe in the selected answer options from your hidden question. To set this up go to the **Piping** tab and choose your hidden question from page 2 from the **Pipe into Options** dropdown:



QUESTION ANSWERS LOGIC VALIDATION LAYOUT **PIPING**

Pipe Into Options:

Q 4. Secret question to put all of the previous choices into one place!

Pipe Selected Items Pipe Unselected Items

Once that set up is complete, it's time to test your survey! Try combinations of answers from the first page of your survey, and make sure that they are both automatically checking answers on the

second page *and* piping into the question on the third page.

Hide and Autosubmit the Data Collection Page

Once you're sure everything's working well, it's time to hide/autosubmit page 2 to streamline the respondent's experience.

Hiding the data gathering question

Edit the checkbox question on the second page where you've gathered all of the data from your source questions and go to the **Layout** tab. Scroll down to the **CSS Class Name** field and enter **sg-hide**. Click Save, and you're done here.

Set Up Autosubmit

To make the page auto-submit, click **Add Action > Page Timer**.

Select the option for **Timer is only for the time spent on this page** and check the option to **Automatically proceed to next page after timer is up**. Then put in a time limit in the **Time Limit** field. We've found that you can use 00:00:00:05, which will display the page for the least amount of time while still collecting the data from the previous page.

The screenshot shows the configuration interface for a Page Timer action. At the top, there are tabs for 'PRIMARY SETUP' and 'LOGIC', and a 'NEED HELP?' link. The 'Name' field contains 'Page Timer to Auto Submit' with an 'Insert merge code' link. Under 'Timer Functions', the selected option is 'Timer is only for the time spent on this page', with 'Automatically proceed to next page after timer is up' checked. Other options include 'Prevent respondent from proceeding to the next page while timer is running' and 'Timer repeats on all subsequent pages'. Under 'If required questions are unanswered when timer is up', the selected option is 'Ignore unanswered questions and proceed to next page'. The 'Time Limit' field is set to '00:00:00:05'.

PRIMARY SETUP **LOGIC** [NEED HELP?](#)

Name

Page Timer to Auto Submit [Insert merge code](#)

Timer Functions

- Timer sets one time limit for respondent to complete the survey
- Timer is only for the time spent on this page
 - Automatically proceed to next page after timer is up
 - Prevent respondent from proceeding to the next page while timer is running
 - Timer repeats on all subsequent pages

If required questions are unanswered when timer is up

- Ignore unanswered questions and proceed to next page
- Automatically redirect to the following page:

Time Limit

00:00:00:05

Save the action and test it out. You'll see blank page 2 for just a moment before the page with the piped answers displays. We have to let the page render for the briefest of moments so that data

will pass from page one to page two so that it can then be displayed in page three.

Related Articles